

## - LOCAL PUBLIC HEALTH

[illegible]

## NATALITY

TOTAL LIVE BIRTHS			2,013	Birth Order		Births	Percent	Marital Status of Mother			Births	Percent
Crude Live Birth Rate		13.3		First		801	40	Married		1,301	65	
General Fertility Rate		62.6		Second		656	33	Not married		712	35	
Live births with reported congenital anomalies		45	2.2%	Third		357	18	Unknown		0	0	
				Fourth or higher		199	10					
				Unknown		0	0					
Delivery Type			Births	Percent	First Prenatal Visit		Births	Percent	Education of Mother		Births	Percent
Vaginal after previous cesarean		50	2	1st trimester		1,700	84	Elementary or less		51	3	
Forceps		67	3	2nd trimester		244	12	Some high school		331	16	
Other vaginal		1,481	74	3rd trimester		52	3	High school		760	38	
Primary cesarean		244	12	No visits		13	1	Some college		496	25	
Repeat cesarean		171	8	Unknown		4	<.5	College graduate		366	18	
Other or unknown		0	0					Unknown		9	<.5	
Birth Weight			Births	Percent	Number of Prenatal Care visits		Births	Percent	Smoking Status of Mother		Births	Percent
<1,500 gm		29	1.4	No visits		13	1	Smoker		440	22	
1,500-2,499 gm		115	5.7	1-4 visits		50	2	Nonsmoker		1,573	78	
2,500+ gm		1,868	92.8	5-9 visits		398	20	Unknown		0	0	
Unknown		1	0.0	10-12 visits		1,006	50					
				13+ visits		540	27					
				Unknown		6	<.5					
				Low Birth Weight (under 2,500 gm)		Trimester of First Prenatal Visit						
Race of Mother		Total Births	Births	Percent	Births	Percent	1st Trimester		2nd Trimester		Other/Unknown	
White		1,869	93		129	6.9	Births		Percent		Births	Percent
Black		115	6		14	12.2	1,597		85		211	11
Other		29	1		1	3.4	82		71		26	23
Unknown		0	0		.	.	21		72		7	24
					.	.	.		.		1	3
					.	.	.		.		.	.
				Low Birth Weight (under 2,500 gm)		Trimester of First Prenatal Visit						
Age of Mother		Fertility	Births	Rate	Births	Percent	1st Trimester		2nd Trimester		Other/Unknown	
<15		5	--		1	20.0	Births		Percent		Births	Percent
15-17		81	24		9	11.1	2		40		3	60
18-19		180	77		54	67	19		23		8	10
20-24		537	117		21	11.7	141		78		32	18
25-29		615	135		39	7.3	433		81		82	15
30-34		411	80		31	5.0	542		88		56	9
35-39		155	25		25	6.1	364		89		35	9
40+		29	5		15	9.7	139		90		14	9
Unknown		0	--		3	10.3	25		86		3	10
					.	.	.		.		.	.
Teenage Births		266	47	* - Not reported. Age or race category has less than 5 births								

\* - Not reported. Age or race category has less than 5 births

## ----- MORBIDITY -----

## REPORTED\* CASES OF SELECTED DISEASES

Disease	Number
Campylobacter Enteritis	46
Giardiasis	36
Hepatitis Type A	<5
Hepatitis Type B**	0
Hepatitis NANB/C***	
Legionnaire's	<5
Lyme	<5
Measles	0
Meningitis, Aseptic	<5
Meningitis, Bacterial	<5
Mumps	0
Pertussis	<5
Salmonellosis	28
Shigellosis	<5
Tuberculosis	0

\* 1999 provisional data

\*\* Includes all positive HBsAg test results

\*\*\* Unavailable at time of printing

Sexually Transmitted Disease

Chlamydia Trachomatis	287
Genital Herpes	36
Gonorrhea	69
Nongonococcal Cervicitis	<5
Nongonococcal Urethritis	5
Syphilis	<5

## ----- IMMUNIZATIONS -----

## Children in Grades K-12 by Compliance Level

Compliant	28,350
Non-compliant	922
Percent Compliant	96.9

## ----- MORTALITY -----

Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.

<b>TOTAL DEATHS</b>	1,282
Crude Death Rate	847

Age	Deaths	Rate
1-4	3	.
5-14	5	.
15-19	7	.
20-34	24	85
35-54	98	221
55-64	135	959
65-74	244	2,297
75-84	378	5,435
85+	375	14,791

Infant

Mortality	Deaths	Rate
Total Infant	13	.
Neonatal	8	.
Postneonatal	5	.
Unknown	.	.

Race of Mother

White	13	.
Black	.	.
Other	.	.
Unknown	.	.

Birth Weight

<1,500 gm	7	.
1,500-2,499 gm	2	.
2,500+ gm	4	.
Unknown	.	.

Perinatal

Mortality	Deaths	Rate
Total Perinatal	23	11.3
Neonatal	8	.
Fetal	15	.

Selected Underlying Cause	Deaths	Rate
Heart Disease (total)	372	246
Ischemic heart disease	.	.
Cancer (total)	267	176
Trachea/Bronchus/Lung	.	.
Colorectal	33	22
Female Breast	18	.*
Cerebrovascular Disease	111	73
Lower Resp. Disease	.	.
Pneumonia & Influenza	49	32
Injuries	42	28
Motor vehicle	18	.
Diabetes	36	24
Infectious & Parasitic	17	.
Suicide	26	17

\* Rate for female breast cancer based on female population.

## ALCOHOL AND DRUG ABUSE AS UNDERLYING OR CONTRIBUTING CAUSE OF DEATH

Alcohol	21	14
Other Drugs	17	.
Both Mentioned	1	.

## ----- MOTOR VEHICLE CRASHES -----

Note: These data are based on location of crash, not on residence.

Type of Motor Vehicle Crash	Persons Injured	Persons Killed
Total Crashes	2,021	26
Alcohol-Related	297	11
With Citation:		
For OWI	19	0
For Speeding	205	1
Motorcyclist	60	5
Bicyclist	47	0
Pedestrian	46	1

## ----- HOSPITALIZATIONS -----

DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita	DISEASE / AGE GROUP	Number	Per 1,000 Pop	Average Stay (Days)	Average Charge	Charge Per Capita
<b>Injury-Related: All</b>						<b>Alcohol-Related</b>					
Total	1,357	9.0	4.8	\$12,455	\$112	Total	606	4.0	2.8	\$2,646	\$11
<18	155	3.9	3.6	\$9,053	\$35	18-44	378	6.6	2.4	\$2,093	\$14
18-44	392	6.8	4.3	\$12,310	\$84	45-64	179	5.2	3.2	\$3,194	\$17
45-64	297	8.7	4.7	\$13,185	\$115	<b>Pneumonia and Influenza</b>					
65+	513	25.5	5.7	\$13,172	\$336	Total	566	3.7	5.5	\$8,639	\$32
<b>Injury: Hip Fracture</b>						<18	54	1.4	3.1	\$4,966	\$7
Total	157	1.0	6.5	\$17,707	\$18	45-64	92	2.7	5.4	\$9,627	\$26
65+	140	7.0	6.6	\$17,999	\$125	65+	360	17.9	6.1	\$6	\$0
<b>Injury: Poisonings</b>						<b>Cerebrovascular Disease</b>					
Total	97	0.6	2.2	\$4,626	\$3	Total	486	3.2	4.9	\$11,518	\$37
18-44	62	1.1	2.1	\$4,865	\$5	45-64	106	3.1	4.7	\$12,445	\$39
<b>Psychiatric</b>						65+	350	17.4	4.9	\$10,905	\$190
Total	971	6.4	8.2	\$6,188	\$40	<b>Chronic Obstructive Pulmonary Disease</b>					
<18	144	3.6	15.1	\$12,094	\$44	Total	488	3.2	4.7	\$7,049	\$23
18-44	557	9.7	5.8	\$4,243	\$41	<18	45	1.1	2.8	\$4,176	\$5
45-64	192	5.6	9.0	\$6,394	\$36	18-44	53	0.9	2.9	\$4,887	\$5
65+	78	3.9	10.6	\$8,669	\$34	45-64	123	3.6	4.2	\$6,463	\$23
<b>Coronary Heart Disease</b>						65+	267	13.3	5.6	\$8,232	\$109
Total	840	5.6	4.5	\$18,365	\$102	<b>Drug-Related</b>					
45-64	349	10.2	4.0	\$18,955	\$194	Total	234	1.5	3.4	\$2,547	\$4
65+	428	21.3	5.2	\$18,224	\$388	18-44	181	3.2	3.1	\$2,312	\$7
<b>Malignant Neoplasms (Cancers): All</b>						<b>Total Hospitalizations</b>					
Total	648	4.3	6.8	\$17,327	\$74	Total	17,838	117.9	4.4	\$8,719	\$1,028
18-44	75	1.3	5.6	\$17,940	\$23	<18	3,061	77.1	3.2	\$4,328	\$334
45-64	221	6.5	6.1	\$16,754	\$109	18-44	5,433	94.7	3.2	\$6,279	\$595
65+	345	17.2	7.6	\$17,536	\$301	45-64	3,567	104.6	4.6	\$11,033	\$1,154
<b>Neoplasms: Female Breast (rates for female population)</b>						65+	5,777	287.2	5.9	\$11,913	\$3,422
Total	47	0.6	2.0	\$7,638	\$5	<b>----- PREVENTABLE HOSPITALIZATIONS* -----</b>					
<b>Neoplasms: Colo-rectal</b>						Total	2,215	14.6	4.7	\$7,588	\$111
Total	93	0.6	9.4	\$21,857	\$13	<18	202	5.1	2.7	\$3,970	\$20
65+	67	3.3	10.3	\$23,765	\$79	18-44	307	5.4	3.7	\$6,409	\$34
<b>Neoplasms: Lung</b>						45-64	468	13.7	4.5	\$8,166	\$112
Total	69	0.5	8.1	\$19,159	\$9	65+	1,238	61.6	5.4	\$8,252	\$508
<b>Diabetes</b>						* Hospitalizations for conditions where timely and effective ambulatory care can reduce the likelihood of hospitalization. The definition of preventable hospitalizations in 1999 is consistent with the 1997 definition. Please refer to the note at the bottom of this page in the 1997 report for an explanation of the change made between 1996 and 1997.					
Total	204	1.3	4.9	\$8,661	\$12						
65+	71	3.5	6.0	\$10,246	\$36						